PRINTED: 04/15/2011 FORM APPROVED

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION  A. BUILDING			(X3) DATE SURVEY COMPLETED		
NVN251AGC		NVN251AGC		B. WING		03/15/2011			
NAME OF PF	ROVIDER OR SUPPLIER		STREET ADD	RESS, CITY, STA	TE, ZIP CODE	•			
KINGS ROW RESIDENCE			1254 ST ALBERTS DR RENO, NV 89503						
(X4) ID PREFIX TAG	SUMMARY ST. (EACH DEFICIENC' REGULATORY OR I		ID PREFIX TAG	,	(X5) COMPLETE DATE				
Y 000	Initial Comments  The findings and conclusions of any investigat by the Health Division shall not be construed a prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal state, or local laws.  This Statement of Deficiencies was generated a result of an annual State Licensure survey conducted in your facility on 3/15/11 and a complaint investigation conducted between 11/9/10 and 3/15/11. This State Licensure sur was conducted by the authority of NRS 449.18 Powers of the Health Division.  The facility is licensed for ten Residential Faci for Group beds for elderly and disabled persor with three Category I residents and seven Category II residents. The census at the time of the survey was seven.  The facility received a grade of A.  Complaint #NV00026857 was unsubstantiated The allegation that there were no qualified		l as i, ral, ed as / survey 150, cility ons, e of	PREFIX (EACH CORRECTIVE ACTION SHOUL TAG CROSS-REFERENCED TO THE APPROF					
	through document revistaff.  #NV00026857: the ciprocess was initiated Care Quality and Continuous The investigation for the employed unqualified - Interviews were confidentially and new through the continuous through the continuo	by the Bureau of Healt npliance on 11/9/10. the allegation the facilit caregivers included:	h y ined						

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

PRINTED: 04/15/2011 FORM APPROVED

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED			
NVN251AGC				B. WING		03/15/2011			
NAME OF PROV	/IDER OR SUPPLIER	NVNZSIAGO	STREET ADD	ADDRESS, CITY, STATE, ZIP CODE					
	RESIDENCE		1254 ST AL RENO, NV	T ALBERTS DR					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPRO DEFICIENCY)	TION SHOULD BE COMPLETE THE APPROPRIATE DATE			
Y 000 C	Continued From page 1			Y 000					
ti ri s	(EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		all	1 000					

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.